

**ECO-KITCHEN**  
*by induction inside*



**INDUC**<sup>®</sup>

PART OF  **THE MIDDLEBY CORPORATION**



# ECO-KITCHEN

*by induction inside*

## About us

Based in Qingdao of China, ECO KITCHEN is manufacturer specialized in induction products with its own technical technology. With over ten years' experience in commercial induction field, ECO KITCHEN knows the technical know-how of induction technology well and also develops a serial of innovative induction products ranged from 2.5kw to 60kw, including induction Drop-in/ Built-in generators, Heavy Duty Generators, Table Tops, Chinese Wok Ranges, Stock pot stoves, Steamers, Rice Cookers, Noodle/Pasta Cookers, Titling Kettles. Furthermore, ECO KITCHEN has the ability in customization for all kind of induction applications.

As a leading induction cooking equipment company in China market, together with its its over 100 main distributors all over the China, ECO KITCHEN already establishes a national wide sales and service network which could cover almost all the area of China. Besides, after years' effort in international market, ECO KITCHEN also knows western cooking method well and developed appropriate products, and these products are all CE certificated by Germany TUV Rheinland.

In June of 2015, ECO KITCHEN joins Middleby Corporation as an important supplementary to induction cooking technology to strengthens the Middleby leadership position in induction cooking.

---

## Approvals

China's first and so far the only commercial heavy duty induction cookers manufacturer who has been granted by CE-LVD and CE-EMC certificate by TUV Rheinland.

## Fully compliant with

### Low Voltage Directive(2014/35/EC)

EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019+A15:2021

EN 60335-2-36:2002+A1:2004+A2:2008+A11:2012

EN 62233:2008



---

### EMC Directive (2014/30/EC)

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

# INTERNATIONAL COOKING EQUIPMENT

## INDUCTION HOLDING




IND-E0P-N1000



Model IND-E0P-N1000

Power	1kW
Voltage	230 V AC
Dimensions (mm)	404*404*67
Ceramic Glass (mm)	400*400
Installation Hole (mm)	370*370

## DROP-IN PAN TYPE / DROP-IN WOK TYPE



IND-33W-3500  
IND-33WH-5000



IND-30P-3500  
IND-30PH-5000



Model IND-30P-3500  
IND-30PH-5000 IND-33W-3500  
IND-33WH-5000

Power	3.5kW / 5kW	3.5kW / 5kW
Voltage	230V AC / 3N~400V AC	230V AC / 3N~400V AC
Ceramic Glass (mm)	320 * 320	ø300
Frame Dimension (mm)	384 * 384 * 160	384 * 384 * 195
Installation Hole (mm)	360 * 360	360 * 360

## DROP-IN PAN TYPE (DOUBLE BURNER)



IND-32P-3500\*2  
IND-32PH-5000\*2



Model IND-32P-3500\*2 IND-32PH-5000\*2

Power	3.5kW*2	5kW*2
Voltage	3N~400V AC	3N~400V AC
Ceramic Glass (mm)	320 * 580	320 * 580
Frame Dimension (mm)	380 * 660 * 200	380 * 660 * 200
Installation Hole (mm)	345 * 610	345 * 610

## TABLE TOP (BABY)



IND-10P-2400  
IND-10P-2500

Model IND-10P-2400 IND-10P-2500

Power	2.4kW	2.5kW
Voltage	240V AC	230V AC
Dimensions (mm)	340 * 405 * 120	340 * 405 * 120
Ceramic Glass (mm)	320 * 320	320 * 320
Plug Type	AU	EU / US

## TABLE TOP



IND-10P-U3500

IND-10PH-5000

Model IND-10P-U3500 IND-10PH-5000

Power	3.5kW	5kW
Voltage	230V AC	3N~400 V AC
Dimensions (mm)	360 * 440 * 120	360 * 440 * 185
Ceramic Glass(mm)	320*320	320*320

## TABLE TOP



IND-13W-U 3500

IND-13WH-5000

Model IND-13W-U3500 IND-13WH-5000

Power	3.5kW	5kW
Voltage	230V AC	3N~400 V AC
Dimensions (mm)	360 * 440 * 185	360 * 440 * 185
Ceramic Glass(mm)	∅300	∅300

## TABLE TOP



IND-10P-8000

IND-13W-8000

Model IND-10P-8000 IND-13W-8000

Power	8kW	8kW
Voltage	3N~400 V AC	3N~400 V AC
Dimensions (mm)	380 * 470 * 230	380 * 470 * 230
Ceramic Glass(mm)	320*320	∅300

## TABLE TOP



IND-10PP-3500\*2V  
IND-10PPH-5000\*2V

Model IND-10PP-3500\*2V IND-10PPH-5000\*2V

Power	3.5kW*2	5kW*2
Voltage	3N~400 V AC	3N~400 V AC
Dimensions (mm)	360 * 700 * 185	360 * 700 * 185
Ceramic Glass(mm)	320 * 580	320 * 580

## QUADRUPLE RANGE (TABLE TOP)



IND-E0P-E3.5\*4TL  
IND-E0P-E5\*4TL

Model IND-E0P-E3.5\*4TL IND-E0P-E5\*4TL

Power	3.5kW * 4	5kW * 4
Voltage	3N~400 V AC	3N~400 V AC
Dimensions (mm)	800 * 900 * 290 * 30	800 * 900 * 290 * 30
Ceramic Glass(mm)	320 * 650	320 * 650

## QUADRUPLE RANGE (FREE STANDING)



IND-E0P-E3.5\*4UL  
IND-E0P-E5\*4UL

Model IND-E0P-E3.5\*4UL IND-E0P-E5\*4UL

Power	3.5kW * 4	5kW * 4
Voltage	3N~400 V AC	3N~400 V AC
Dimensions (mm)	800 * 900 * 850 * 30	800 * 900 * 850 * 30
Ceramic Glass(mm)	320 * 650	320 * 650

# ASIAN/ CHINESE COOKING EQUIPMENT

## WOK STATION



IND-A0W-A8WX  
IND-A0W-B12WX

Model	IND-A0W-A8WX	IND-A0W-B12WX
Power	8kW	12kW
Voltage	3~400 V AC	3~400 V AC
Dimensions (mm)	800*900*850*30	800*900*850*30
Ceramic Glass(mm)	∅300	∅400
Utensils	∅360 wok with handle	∅450 Double-ring wok

## CHINESE WOK STATION



IND-A0W-B12DL  
IND-A0W-B16DL

IND-A0W-B12\*2DL  
IND-A0W-B16\*2DL

Model	IND-A0W-B12DL IND-A0W-B16DL	IND-A0W-B12*2DL IND-A0W-B16*2DL
Power	12kW / 16kW	12kW*2 / 16kW*2
Voltage	3~400V AC	3~400V AC
Dimensions (mm)	1200 * 1000 * 800 * 470	1800 * 1000 * 800 * 470
Ceramic Glass(mm)	∅ 400	∅ 400
Utensils	∅ 450mm Double-ring Wok	∅ 450mm Double-ring Wok

## CHINESE NOODLES COOKER



IND-D0P-D12UL

Model	IND-D0P-D12UL
Power	12kW
Voltage	3~400V AC
Dimensions (mm)	800 * 700 * 800 * 200

## STOCK POT STOVE



IND-C0P-8HL  
IND-C0P-12HL

Model	IND-C0P-8HL	IND-C0P-12HL
Power	8kW	12kW
Voltage	3~400V AC	3~400V AC
Dimensions (mm)	600 * 750 * 580 * 690	600 * 750 * 580 * 690
Utensils	∅ 500mm Stock Pot	∅ 500mm Stock Pot

## CHINESE CAULDRON




IND-B0W-B16L  
IND-B0W-B20L

Model	IND-B0W-B16L	IND-B0W-B20L
Power	16kW	20kW
Voltage	3~400 V AC	3~400 V AC
Dimensions (mm)	1100 * 1150 * 800 * 470 ( ∅ 840mm Cauldron )	1100 * 1150 * 800 * 470 ( ∅ 840mm Cauldron )

# App


Auto Proactive Powering

Cook Smart *by ECO KITCHEN's App*




## ENDURABILITY

Even sustains a 60°C ambient temperature



## RELIABILITY

Survives from continual empty pan heating.



## ADAPTABILITY

- 1) Min Pan Size: 12cm
- 2) Adaptable to more Pan material



**ECO-KITCHEN**

**INDUC**

PART OF **THE MIDDLEBY CORPORATION**

Middleby Foodservice Equipment (Qingdao) Co., Ltd.

No.1 Jin Xuan Rd, High-tech Zone, Qingdao 266100, Shandong Province, China.

Tel: 0086-532-8667 2001

Fax: 0086-532-8667 2003

<http://www.induc.com.cn>

E-mail: [intlsales@middleby.com.cn](mailto:intlsales@middleby.com.cn)